# 版本信息(发行说明)

## **Current Version**

Receives continuous updates and new features. Update interval frequently.

Version:	2024.1.166					ר Server
Release date:	2024-03-12	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul><li>Import 3D:</li><li>SolidWorks 2024</li></ul>	•	•	•	•	•
	<ul> <li>Alternative JT import: support of views and tessellated PMIs #1207</li> </ul>	•	•	•	•	•
	<ul> <li>Add field to ribbon to search online help center</li> </ul>	•	•			
	<ul> <li>Line width setting for contour #1266</li> </ul>	•	•	•	•	•
	<ul> <li>Korean language supported again</li> </ul>	•	•			
	<ul> <li>VS License Manager: support of wildcards for privilige rule configuration #1293</li> </ul>	•	•	•	•	•
Fixes:	<ul> <li>Alternative JT import: multiple loading errors #1207</li> </ul>	•	•	•	•	•
	<ul> <li>JT Assembly loads correctly #779</li> </ul>	•	•	•	•	•
	<ul> <li>Improve circle detection #1304</li> </ul>	•	•	•	•	•
	<ul> <li>Setup: check for correct supported Windows version #1315</li> </ul>	•				
	<ul> <li>Start up: race conditions when using LMX License Manager #1318</li> </ul>	•				
	<ul> <li>3DPDF with import dialog: choose starting scene with 2D/3D button</li> </ul>	•	•	•		
	<ul> <li>XML-API: GetNodeProperties #1283</li> </ul>	•	•	•		•
	<ul> <li>XML-API: ImportVSXMLToNode sets correct color #1300</li> </ul>	•	•	•		•
	<ul><li>Correct cleanup for exit codes #1298</li></ul>					•
	<ul> <li>VS License Manager: Windows Usergroup Timeout #1313</li> </ul>	•	•	•	•	•
	<ul> <li>VS License Manager: ServerConfig.json no longer overwrites itself on updates</li> </ul>	•	•	•	•	•

#### **Previous Version**

Version:	2024.0.444		er		⊏	on Server
Release date:	2024-02-09	Desktop	WebView	VisShare	VR-Edition	Automati

Updated system requirements: Windows 10 / Windows Server 2016

Fixes:

- BOM setting "Configure attribute display" #1282
- Import setting "Additional search paths" #1282
- WV: Visualization settings for 2D #1288
- WV: Skybox selection #1277
- KAS: Generate screenshot exit code #1298

## **Full Version History**

Version:	2024.1.166		er		L	on Server
Release date:	2024-03-12	Desktop	WebView	VisShare	VR-Edition	Automatio

New:

- Import 3D:
  - o SolidWorks 2024
- Alternative JT import: support of views and tessellated PMIs #1207
- Add field to ribbon to search online help center
- Line width setting for contour #1266
- Korean language supported again
- VS License Manager: support of wildcards for privilige rule configuration #1293

Version:	2024.1.166		er			Automation Server
Release date:	2024-03-12	Desktop	WebViewer	VisShare	VR-Edition	Automati
Fixes:	<ul> <li>Alternative JT import: multiple loading errors #1207</li> </ul>	•	•	•	•	•
	■ JT Assembly loads correctly #779	•	•	•	•	•
	<ul> <li>Improve circle detection #1304</li> </ul>	•	•	•	•	•
	• Setup: check for correct supported Windows version #1315	•				
	• Start up: race conditions when using LMX License Manager #1318	•				
	<ul> <li>3DPDF with import dialog: choose starting scene with 2D/3D button</li> </ul>	•	•	•		
	<ul><li>XML-API: GetNodeProperties #1283</li></ul>	•	•	•		•
	■ XML-API: ImportVSXMLToNode sets correct color #1300	•	•	•		•
	<ul> <li>Correct cleanup for exit codes #1298</li> </ul>					•
	• VS License Manager: Windows Usergroup Timeout #1313	•	•	•	•	•
	<ul> <li>VS License Manager: ServerConfig.json no longer overwrites itself on updates</li> </ul>	•	•	•	•	•
Version:	2024.0.444					Server
Release date:	2024-02-09	Desktop	WebViewer	VisShare	VR-Edition	Automation Server

Updated system requirements: Windows 10 / Windows Server 2016

Fixes:

BOM setting "Configure attribute display" #1282

Import setting "Additional search paths" #1282

WV: Visualization settings for 2D #1288

WV: Skybox selection #1277

KAS: Generate screenshot exit code #1298

Version:	2024.0.438		er			on Server
Release date:	2024-01-26	Desktop	WebView	VisShare	VR-Edition	Automation

Updated system requirements: Windows 10 / Windows Server 2016

New:	<ul><li>Import 3D:</li><li>Solid Edge 2024</li><li>Parasolid 36.0</li></ul>	•	•	•	•	•
	<ul> <li>Import 2D:</li> <li>Solid Edge 2024</li> <li>Solidworks 2024</li> <li>NX 2306 Series (until 2306.7000)</li> <li>CATIA V6 R2024x</li> </ul>	•	•	•		•
	<ul><li>Export 2D:</li><li>DXF R32 (AutoCAD 2018)</li></ul>	•	•	•		•
	<ul> <li>New icons for all products and 3DVS files</li> </ul>	•	•	•	•	•
	<ul> <li>JT import: alternative import per setting for tests available #1207</li> </ul>	•	•	•	•	•
	• 3DVS export: option to save resources (skyboxes, backgrounds, materials, glare effects)	•	•	•	•	•
	■ IFC import: performance improvements #942 #1164	•	•	•	•	•
	<ul> <li>STL, OBJ and E57 import: settings added to split huge files on import, helps with performance and enables to load files that would be too big otherwise #1090 #1170</li> </ul>	•	•	•	•	•
	■ WV: improved quality of displayed images #1108		•	•		
	<ul> <li>Section: slice geometries, can be applied several times (does not equal multi-cut) #1098</li> </ul>	•	•	•	•	•
	<ul> <li>Compare: added comparison for PMIs #970</li> </ul>	•	•	•	•	•
	<ul> <li>Selected faces can be merged #1180</li> </ul>	•	•	•	•	•
	<ul> <li>KAS can now be separately installed</li> </ul>					•
	<ul><li>PMIs: support of multiple colors #734</li></ul>	•	•	•	•	•
	<ul> <li>Materials: improve patterned texture application #1151</li> </ul>	•	•	•	•	•
	<ul><li>Mouse setting for fit-all function #962</li></ul>	•	•	•		
	<ul> <li>Always show rotation point #960</li> </ul>	•	•	•		

Version:	2024.0.438		_		_	ın Server
Release date:	2024-01-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
Fixes:	<ul> <li>XML-API pane moved from Output pane to Tool ribbon, response output added #1103</li> <li>XML-API: functions to color nodes or faces randomly #1221</li> <li>VS License Manager: supports upgrade-switches of license features now</li> <li>VS License Manager: license monitor improvements #1186</li> <li>Correct installation behavior for closing running applications #1204</li> </ul>	•	•	•	•	•
	<ul> <li>applications #1204</li> <li>Improve startup behavior of Desktop version #1211</li> <li>WV: initialize 2DAdvanced feature correctly #1255</li> <li>SolidEdge import: correct subassembly visibility #925</li> <li>STEP import: load tessellation correctly #1023</li> <li>NX import: load node visibility correctly #1193</li> <li>OBJ import: load textures in edge case correctly #1170</li> <li>Aligning: Move: enable functions to work with a boundary condition if activated #1235</li> <li>Structure tree: moving nodes lost file paths #1214</li> </ul>	•	•	•	•	•
	<ul> <li>WV: Structure tree: multi-selection with SHIFT in a large tree #1234</li> <li>Clear CustomIDs #1229</li> </ul>	•	•	•		•
Version: Release date:	2023.7.197 2023-11-17	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul><li>Import 3D:</li><li>Revit 2024</li></ul>	•	•	•	•	•

5

Version:	2023.7.197					rver
			ver		uc	ion Se
Release date:	2023-11-17	Desktop	WebViewe	VisShare	VR-Edition	Automation Server
	<ul> <li>Solid Edge: support of Assembly Features #829</li> </ul>	•	•	•	•	•
	<ul> <li>Center handle of translation transformations (move) #1087</li> </ul>	•	•	•		•
	<ul> <li>Reset geometries to initial color</li> </ul>	•	•	•		•
	<ul> <li>Overwrite initial color of geometries</li> </ul>	•	•	•		•
	<ul> <li>BOM: new creation mode: Structure tree: lists all root and PO nodes #716</li> </ul>	•	•	•		•
	<ul> <li>BOM: new creation mode: Selection including children: lists selected node and all its children nodes #1160</li> </ul>	•	•	•		•
	<ul> <li>BOM: new option to remove or keep empty columns #1169</li> </ul>	•	•	•		•
Fixes:	<ul> <li>SolidEdge import: show pipes correctly #830</li> </ul>	•	•	•	•	•
	<ul> <li>SolidEdge import: show frames correctly #646</li> </ul>	•	•	•	•	•
Version:	2023.6.145					erver
Version:	2023.6.145		wer	a)	on	tion Server
Version: Release date:	2023.6.145 2023-10-13	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
		Desktop		VisShare	VR-Edition	-
		• Desktop		VisShare	• VR-Edition	-
Release date:	2023-10-13  • Import 3D: • NX 2306	• Desktop		• VisShare	• VR-Edition	-
Release date:	2023-10-13  • Import 3D:	• Desktop		• VisShare	• VR-Edition	-
Release date:	2023-10-13  • Import 3D:  • NX 2306  • JT up to 10.9  • Import 2D:  • NX 2306 Series (until 2306.4000)	• • Desktop		• Visshare	• VR-Edition	-
Release date:	<ul> <li>Import 3D: <ul> <li>NX 2306</li> <li>JT up to 10.9</li> </ul> </li> <li>Import 2D: <ul> <li>NX 2306 Series (until 2306.4000)</li> </ul> </li> <li>Curvature analysis: New feature to analyse surfaces</li> <li>KAS Monitor: New tool for conversion per directory</li> </ul>	• Desktop		• VisShare	• VR-Edition	-
Release date:	<ul> <li>Import 3D: <ul> <li>NX 2306</li> <li>JT up to 10.9</li> </ul> </li> <li>Import 2D: <ul> <li>NX 2306 Series (until 2306.4000)</li> </ul> </li> <li>Curvature analysis: New feature to analyse surfaces</li> </ul> <li>KAS Monitor: New tool for conversion per directory monitoring</li> <li>PLMXML import: option to load 3DVS instead of</li>	• • Desktop		• • VisShare	• VR-Edition	-
Release date:	<ul> <li>Import 3D: <ul> <li>NX 2306</li> <li>JT up to 10.9</li> </ul> </li> <li>Import 2D: <ul> <li>NX 2306 Series (until 2306.4000)</li> </ul> </li> <li>Curvature analysis: New feature to analyse surfaces</li> </ul> <li>KAS Monitor: New tool for conversion per directory monitoring</li> <li>PLMXML import: option to load 3DVS instead of referenced JTs #1053</li>	• • • Desktop		• • VisShare	• VR-Edition	-

Version:	2023.6.145		ıer		L.	Automation Server
Release date:	2023-10-13	Desktop	WebViewer	VisShare	VR-Edition	Automati
Fixes:	<ul> <li>SolidEdge import: Coordinate system visibility and size #825 #861 #862</li> <li>SolidEdge import: Simplifications improvements #808 #864</li> </ul>	•	•	•	•	•
	<ul> <li>Navisworks import improvements #927 #989</li> </ul>	•	•	•	•	•
	<ul> <li>Improve radius measurements #1046</li> </ul>	•	•	•	•	•
	<ul><li>Improve angle measurements #1072</li></ul>	•	•	•	•	•
	<ul> <li>Improve display of PMIs with asian characters #908</li> </ul>	•	•	•	•	•
	<ul> <li>Improve display of drawings with asian characters #872</li> </ul>	•	•	•		•
	<ul> <li>Improve Copy-Paste behaviour #946 #947</li> </ul>	•				
Version:	2023.5.648		er		⊆	Automation Server
Release date:	2023-09-08	Desktop	WebViewer	VisShare	VR-Edition	Automati
New:	<ul><li>Import 3D:</li><li>USD</li></ul>	•	•	•	•	•
	<ul> <li>Rework: Floating licensing</li> </ul>	•	•	•	•	•
	<ul> <li>Rework: Wall thickness #140</li> </ul>	•	•	•		•
	<ul><li>Rework: Band analysis #144 #143</li></ul>	•	•	•		•
	<ul><li>Rework: Aligning #607</li></ul>	•	•	•	•	•
Fixes:	<ul> <li>Revit: Problems with displaying of Revit file #920</li> </ul>	•	•	•	•	•
	<ul> <li>3DPDF: prevent crash during loading #984</li> </ul>	•	•	•	•	•
	Neutral axis: optimizations for some cases #986	•	•	•		•

Version:	2023.5.648		wer	a.	on	Automation Server
Release date:	2023-09-08	Desktop	WebViewer	VisShare	VR-Edition	Automa
	<ul> <li>Load DWG/DXF import dlls correctly #931</li> </ul>	•	•	•	•	•
	<ul> <li>DXF export speedup in critical cases #987</li> </ul>	•	•	•		•
	<ul> <li>2D default export format is not applied #897</li> </ul>	•	•	•		•
	<ul> <li>WebViewer Ribbon for small screens fixed #1035</li> </ul>		•	•		
Version:	2023.4.217		ər		_	Automation Server
Release date:	2023-08-09	Desktop	WebViewer	VisShare	VR-Edition	Automati
New:	<ul><li>Import 3D:</li><li> ACIS 2023</li><li> Creo 10.0</li><li> Navisworks 2024</li></ul>	•	•	•	•	•
	<ul><li>Import 2D:</li><li>NX 2212 Series (until 2212.7000)</li></ul>	•	•	•		•
	<ul> <li>NX assembly files load referenced JT files #907 #7110</li> </ul>	•	•	•	•	•
	Selection: all geometries, all PMIs and all markups	•	•	•	•	•
	<ul> <li>VR: activating views now changes the position #969</li> </ul>				•	
	<ul> <li>XML-API console</li> </ul>	•				
Fixes:	<ul> <li>Navisworks file loading error #826</li> </ul>	•	•	•	•	•
	<ul> <li>CATDrawing: wrong font recognized for some symbols #743</li> </ul>	•	•	•		•
	<ul> <li>Show quick info on hover in structure tree #945</li> </ul>	•				
	<ul> <li>Use correct position while copying focused geometry to second scene #854</li> </ul>	•				
	• 100 % Ghost shows correct transparency #896	•	•	•	•	•
	Activation license: correct maintenance check #941	•	•	•	•	•

Version:	2023.4.217		ver		uo	Automation Server
Release date:	2023-08-09	Desktop	WebViewe	VisShare	VR-Edition	Automat
	<ul> <li>Import: ZIP archive was falsely recognized as 3MF #421</li> </ul>	•	•	•	•	•
Version:	2023.3.149		er		U	Automation Server
Release date:	2023-06-09	Desktop	WebViewer	VisShare	VR-Edition	Automati
New:	<ul> <li>Import 3D:</li> <li>Catia V5_6 R2023</li> <li>Parasolid 35.1</li> <li>Inventor 2024</li> </ul>	•	•	•	•	•
	<ul> <li>DXF export: screen-aligned markups are saved as text #798</li> </ul>	•	•	•		•
	<ul> <li>Node properties to adjust rotation and scale of patterned materials #865</li> </ul>	•	•	•	•	•
	<ul> <li>XML-API: FindAndReplaceString #764</li> </ul>	•	•	•	•	•
	<ul> <li>XML-API: ConvertVSXMLToNestedSTEP now supports optional export of node tree structure #661</li> </ul>	•	•	•	•	•
	<ul> <li>XML-API: Set markup anchor #744</li> </ul>	•	•	•	•	•
Fixes:	<ul> <li>Reestablished support of older CPUs #877</li> </ul>	•	•	•	•	•
	<ul> <li>3DVS and VSXML: Floating point format may differ in XML content if precision can be preservered by using scientific notation #762</li> </ul>	•	•	•	•	•
	<ul> <li>Floating license issue regarding the combined use of IMPORT_3DVS and IMPORT_All fixed #910</li> </ul>	•	•	•	•	•
	<ul> <li>Parasolid import: show correct node names in structure tree #906</li> </ul>	•	•	•	•	•
	<ul> <li>STEP import: show views correctly #595</li> </ul>	•	•	•	•	•
	• CATIA import: show a part not multiple times #131	•	•	•	•	•
	<ul> <li>CATIA import: don't show coordinates systems as faces #132</li> </ul>	•		•	•	•
	<ul> <li>CATIA import: load R22 files updated with CATIA R32 #781</li> </ul>	•	•	•	•	

TiewStation 版本信息(发行说明

Version: Release date:	2023.3.149 2023-06-09	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Revit import: rfa file loads now correctly #797</li> </ul>	•	•	•	•	•
	<ul> <li>STEP export: tessellation issue #614</li> </ul>	•	•	•		•
	<ul> <li>VSXML import: progress overlay was not removed #924</li> </ul>		•	•		
	<ul> <li>DXF export: circle recognition algorithm improved #800</li> </ul>	•	•	•		•
	<ul> <li>Some formats could not be converted to FBX #911</li> </ul>					•
	<ul> <li>Material rendering repaired after disassembling and reassembling surfaces #645</li> </ul>	•	•	•	•	•
	<ul> <li>Webviewer usage collector optimised #839</li> </ul>		•	•		
	• jQuery update #902		•	•		
Version:	2023.2.146		Je		_	on Server
Release date:	2023-04-14	Desktop	WebViewe	VisShare	VR-Edition	Automation Server
New:	<ul> <li>Import 2D</li> <li>NX 2212 Series until 2212.4000</li> <li>HEIC (as is)</li> <li>Excellon (as is)</li> </ul>	•	•	•		•
	• Exact compare: works now with tessellation #517	•	•	•	•	•
	<ul> <li>Export views to PDF: new settings to define paper format and DPI #567</li> </ul>	•	•	•		•
	<ul> <li>Presets: color picker can include user-defined tooltip #776</li> </ul>	•				
	XML-API: SaveAsRelative		•	•		

Version:	2023.1.225	0	wer	Ф	ion	Automation Server
Release date:	2023-03-28	Desktop	WebViewer	VisShare	VR-Edition	Automa
Fixes:	<ul> <li>Windows Server 2016 startup #789</li> <li>Print dialogue #785</li> <li>Change name: Del button deletes node #788</li> <li>Structure tree: cut and paste #787</li> </ul>	•	•	•	•	•
Version: Release date:	2023.1.224 2023-03-17	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>Import 3D</li> <li>AVEVA RVM</li> <li>Navisworks 2023</li> <li>NX 2212</li> <li>Parasolid 35.0</li> <li>Solid Edge 2023</li> <li>SolidWorks 2023</li> </ul>	•	•	•	•	•
	<ul> <li>SolidEdge import: support of coordinate systems</li> <li>JT export: support of coordinate systems</li> <li>Faster vector export (DXF, SVG)</li> <li>Cut of multiple nodes and paste on one of them creates a new node</li> <li>Rework: Alignment functions part 1: Render preview</li> </ul>	•	•	•	•	•
	Rework: Attribute CSV import	•	•	•		
Fixes:	<ul> <li>Solid Edge 2022 simplifications #502</li> <li>Solid Edge assembly references #754</li> <li>Multiple Inventor import issues #582 #584</li> <li>OBJ import: missing triangles #715</li> </ul>	•	•	•	•	•

Version: Release date:	2023.1.224 2023-03-17	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>WRL import: missing geometries #671</li> <li>Shut down when double-click in structure tree</li> <li>API: ConvertDXFVersion not working #724</li> <li>Uninstall error</li> <li>Deleting of log files #761</li> </ul>	•	•	•	•	•
Version: Release date:	2023.0.405 2023-02-13	Desktop	WebViewer	VisShare	VR-Edition	Automation Server

### New: • IMPORTANT:

- o This release includes licensing updates for VisShare. Old licenses will not run with this VisShare.
- Import 3D
  - o Revit 2023
- Import 2D
  - o CATIA V6 R2023x
  - o Solid Edge 2023
  - o Solidworks 2023
- 2D DWG/DXF: Font substitution available on import #503
- Edge length of construction planes can now be defined on import
- Structure tree: edit node names per click #625
- Structure tree: new functions to cut, copy and paste
- KAS: The log file now contains all the information used during the conversion (path to the used settings etc.) #639
- VR: new setting to define color and transparency of the floor #666

Version:	2023.0.405		ər		_	on Server
Release date:	2023-02-13	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
Fixes:	<ul> <li>STEP import crashed in rare cases #719</li> </ul>	•	•	•	•	•
	<ul> <li>Creo 4 and 7 assemblies open correctly #248 #463</li> </ul>	•	•	•	•	•
	<ul> <li>Revit: fix box representation of some geometries #6880</li> </ul>	•	•	•	•	•
	<ul> <li>DWG: an old version was incorrectly recognized #623</li> </ul>	•	•	•	•	•
	■ 3DPDF recognition improved #718	•	•	•	•	•
	<ul> <li>PLMXML reader improved #601</li> </ul>	•	•	•	•	•
	<ul> <li>VSXML: set correct node type #642</li> </ul>	•	•	•	•	•
	<ul> <li>Some native PMIs had a wrong bounding box and made the scene huge #632</li> </ul>	•	•	•	•	•
	<ul><li>Improve highlighting of PMI references #603</li></ul>	•	•	•	•	
	■ BOM: Bounding box measurements corrected #681	•	•	•		•
	<ul> <li>Correct FitAll in perspective mode #599</li> </ul>	•	•	•	•	
	<ul> <li>Circles can be measured again after extracting faces of a solid #532</li> </ul>	•	•	•	•	•
	<ul> <li>World coordinate systems were created at the wrong position in rare cases #530</li> </ul>	•	•	•		
	<ul> <li>Set section plane handles correctly after activating views #88</li> </ul>	•	•	•	•	
	<ul> <li>Show face properties when selecting multiple faces #627</li> </ul>	•	•	•	•	
	<ul> <li>Activator success exit code was moved from 1 to 0 #624</li> </ul>	•	•	•	•	•
Version:	2022.8.293		_			n Server
Release date:	2022-12-05	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>DXF Export: support of coordinate systems #544</li> </ul>	•	•	•		•
	<ul> <li>Import attributes from CSV #596</li> </ul>	•	•	•		

Version:	2022.8.293		_			n Server
Release date:	2022-12-05	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Background color for PMIs #535</li> </ul>	•	•	•	•	•
	■ BOM - new options: Bounding box, gravity center, structure level #273 #288 #326	•	•	•		•
	<ul><li>Show face attributes #329</li></ul>	•	•	•		•
	<ul> <li>API: Identify node complexity #350</li> </ul>	•	•	•		•
Fixes:	<ul><li>Improve import of PDF #576 #589</li></ul>	•	•	•		•
	<ul> <li>Improve instance recognition #590</li> </ul>	•	•	•	•	•
	<ul> <li>Improve E57 point cloud rendering #540</li> </ul>	•	•	•	•	
	<ul> <li>Fix split scene function #600</li> </ul>	•	•	•		
	• Fix circle markups in 2D #453	•	•	•		•
	<ul> <li>Improve TIF performance after copy/paste #619</li> </ul>	•	•	•		
	<ul> <li>Improve loading of many attributes #618</li> </ul>	•	•	•	•	•
	<ul> <li>VR: One eyed rendering in some cases</li> </ul>				•	
Version:	2022.7.482					erver
Release date:	2022-11-07	Desktop	WebViewer	VisShare	VR-Edition	Automation Serv
New:	• IMPORTANT:  o This release contains security updates. We	•	•	•	•	•
	o This release contains security updates. We recommend updating to this version as soon as possible.					
	<ul><li>Import 2D</li><li>NX 2206</li></ul>	•	•	•	•	•
	<ul><li>Export 2D</li><li>WMF (raster)</li></ul>	•	•	•	•	•

Activation licensing improved

Version:	2022.7.482		wer	Φ	ion	Automation Server
Release date:	2022-11-07	Desktop	WebViewer	VisShare	VR-Edition	Automa
	<ul> <li>Transform: three points to three points #403</li> </ul>	•	•		•	
	<ul> <li>Copy/Paste in 2D scenes #218 #224 #489</li> </ul>	•				
	<ul> <li>Improve performance of VSXML import</li> </ul>	•	•	•	•	•
	<ul> <li>Load structure, then reload all nodes #476</li> </ul>	•	•	•	•	•
	<ul> <li>Setup: New option to generate extensive support information for critical cases (default: on)</li> </ul>	•	•	•	•	•
Fixes:	<ul> <li>Show correct wall thickness result in the measurement pane #549</li> </ul>	•	•	•		
	<ul> <li>Line highlights are rendered with line width correctly #537</li> </ul>	•	•	•	•	
	■ Improve Solidworks conversion in rare cases #484	•	•	•	•	•
	■ Improve Navisworks import #516	•	•	•	•	•
	■ Improve Solid Edge DFT import #470 #3675	•	•	•	•	•
	■ Improve SVG export #504	•	•	•	•	•
	E57: use correct scale and up-vector	•	•	•	•	•
Version:	2022.6.170					
Release date:	2022-09-05					ver
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul>	•	•	•	•	•
	<ul> <li>STEP, IFC and Creo Import: choose codepage to display node names correctly (available codepages can be edited in the preset.xml) #405</li> </ul>	•	•	•		

DViewStation 版本信息(发行说明

Version:	2022.6.170					
Release date:	2022-09-05	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Rework of node movements in structure tree #188 #189</li> <li>Structure tree: CSV Export #393</li> </ul>	•	•	•		
	Structure tree: horizontal scrollbar #472	•				
	<ul> <li>Option to turn material rendering off #270</li> <li>Animated focus (includes translation, rotation and ghosting) #440</li> </ul>	•	•	•	•	•
	TIFF 8bpp import #451	•	•	•		•
	<ul> <li>XML-API: GetWallthicknessRollingBallAnalysisResults #396</li> </ul>	•	•	•		•
Fixes:	<ul> <li>Solidworks format recognition fix #473</li> </ul>	•	•	•	•	•
	DXF Export: sometimes showed hidden lines #448	•	•	•		
	<ul> <li>DXF Export: circle recognition improved #417</li> </ul>	•	•	•		
	Raster images: export and printing fixed #471	•	•	•		•
	<ul> <li>Improve undercut calculation #271</li> <li>Handle missing materials correctly #386</li> </ul>	•	•	•	•	•
	<ul> <li>Handle geometries after wire removal and generation correctly #483</li> </ul>	•	•	•		•
	• Structure tree: fix behavior in large trees #472	•				
	<ul> <li>Fix Callout and Fixed Text positioning for printing and 2D raster export #477</li> </ul>	•	•	•		•
	Skybox: incremental rendering fixed #475	•	•	•	•	•
	<ul> <li>XML-API: GenerateAttribute and GenerateCustomIds fixed for special characters #388</li> </ul>	•		•		

Version:	2022.5.199					
Release date:	2022-08-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul>	•	•	•	•	•
	<ul> <li>Import 3D</li> <li>AutoCAD DWG/DXF #181</li> <li>Creo 9</li> <li>Inventor 2023</li> <li>Parasolid 34.1</li> <li>NX 2206</li> </ul>	•	•	•	•	•
	<ul> <li>Export 3D</li> <li>XML-API: Convert VSXML to STEP AP214-CC06 Master file (nested external references) #351</li> </ul>	•	•	•		•
	<ul> <li>KAS/API: new command CONVERT_AND_EXECUTE_XML</li> </ul>					•
	• First level of attribute names shown as subcategories	•	•	•		
	<ul> <li>Improve 3DVS and VSXML import performance</li> </ul>	•	•	•	•	•
	<ul> <li>Option to replace the 3D model with a screenshot in templated 3DPDF export</li> </ul>	•	•	•		•
Fixes:	<ul> <li>Save field of view settings in 3DVS files #274</li> </ul>	•	•	•		•
	<ul> <li>Show attributes correctly #167</li> </ul>	•	•	•		•
	<ul> <li>Improve DXF/SVG export performance</li> </ul>	•	•	•		
	DXF measurements wrong #349	•	•	•		
	<ul> <li>PDF format recognition improved #458</li> </ul>	•	•	•	•	•
	<ul> <li>PDF attachment display with unicode characters #416</li> </ul>	•	•	•		
	<ul> <li>Huge STL files crashed #296 #324</li> </ul>	•	•	•	•	•
	• STPX, 3DS, 3MF, Collada: Node name in structure reduced from pathname to filename #361	•	•	•		•
	<ul> <li>Copy text to clipboard: Fix and rework deactivation handling #390</li> </ul>	•	•	•		

WiewStation 版本信息(发行说明

Version:	2022.5.199					
Release date:	2022-08-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Measurement markups: Improve rendering of reference wires #411</li> </ul>	•	•	•	•	•
	<ul> <li>Coordinate systems: visibility fixed, when they are not near geometry #412</li> </ul>	•	•	•	•	•
	<ul> <li>Load fonts with unicode filenames correctly on startup #410</li> </ul>	•	•	•	•	•
	<ul> <li>Correct translation for presets #86</li> </ul>		•	•		
	• Circle markup creation relative to camera #375				•	
	<ul> <li>Error message when loading 2D documents #375</li> </ul>				•	
	• Section cut controllers, pickray, menu and floor #375				•	
	<ul> <li>Correct floor shadow in perspective #375</li> </ul>	•	•	•	•	
Version:	2022.4.169					
Release date:	2022-07-07	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul>	•	•	•	•	•
	<ul><li>Import 3D</li><li>Catia V5-6R2022 (R32)</li></ul>	•	•	•	•	•
	<ul><li>Import 2D</li><li>Creo 9.0</li><li>NX 2019, 2027</li></ul>	•		•	•	•
	<ul> <li>WebViewer: Server health tests added #69</li> </ul>		•	•		

反本信息(发行说明) 3DViewStat

Version:	2022.4.169					
Release date:	2022-07-07	top	WebViewer	nare	VR-Edition	Automation Server
		Desktop	Web	VisShare	VR-E	Auto
	<ul> <li>WebViewer: Server blocks incoming requests on high load #69</li> </ul>		•	•		
	<ul> <li>Techdoc/BOM: Option to generate ID with only attribute value #129</li> </ul>	•	•	•		
	<ul> <li>API: Compare two 3D models per URL parameter with Bestfit computation for auto alignment</li> </ul>		•	•		
Fixes:	<ul> <li>Creo 8 file loads correctly #233</li> </ul>	•	•	•	•	•
	<ul> <li>NX PRT: handle 2D/3D case correctly #401</li> </ul>	•	•	•		•
	<ul> <li>SLDDRW: correct position of information flags #251</li> </ul>	•	•	•		•
	<ul> <li>UpdateScene rework #161</li> </ul>	•	•	•	•	
	<ul> <li>Improve Split computation time #336</li> </ul>	•	•	•	•	
	<ul> <li>Clash: compute multiple times fix #201</li> </ul>	•	•	•	•	
	<ul> <li>Fix crash in Bestfit computation #368</li> </ul>	•	•	•		
	<ul> <li>Improve clipping plane handling in flythrough/with focus #52</li> </ul>	•	•	•	•	
	• Fix interactions, if section and markup creation are both active #92	•	•	•	•	
	<ul> <li>Remove undo for configuration view creation #89</li> </ul>	•	•	•		
	<ul> <li>Wrong world bounding box in rare cases #343</li> </ul>	•	•	•	•	
	<ul> <li>Websocket closed behavior optimized for clients that sent connect message #301</li> </ul>		•	•		
	<ul> <li>WebViewer: Copy image to clipboard fix #247</li> </ul>		•	•		
	<ul> <li>Structure &amp; output panes are scaled along with resolution change #230</li> </ul>	•				
	<ul> <li>VR: Skybox fixed #374</li> </ul>				•	

/iewStation 版本信息(发行说明

Version:	2022.4.169					
Release date:	2022-07-07	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>VR: Display shadow correctly #340</li> </ul>				•	
Version:	2022.3.428					
Release date:	2022-05-21	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> <li>Import 3D         <ul> <li>Autodesk Navisworks 2012 - 2022</li> <li>Autodesk Revit 2022</li> <li>JT 10.6</li> </ul> </li> <li>Best fit: align two nodes to overlap #113</li> <li>Measure point to point on curve #111</li> <li>Transform: circle center to point #204</li> <li>Attachment pane for 2D documents #158</li> <li>Change color of tessellated PMIs on import #78</li> <li>Add 7 additional light sources #45</li> <li>Table view extended by date and file size #258</li> </ul>	•	•	•	•	•
Fixes:	<ul><li>Fonts for DWG/DXF #122</li></ul>	•	•	•	•	•

Version:	2022.3.428					
Release date:	2022-05-21	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	■ 3D PDF crashing in rare cases #305	•	•	•	•	•
	<ul> <li>OBJ: Improve texture visualisation #277</li> </ul>	•	•	•	•	•
	■ HPGL with embedded TIF: correct display #82	•	•	•	•	•
	<ul><li>Inventor assembly won't open #5181</li></ul>	•	•	•	•	•
	<ul><li>Solidworks: wrong transparencies #6583</li></ul>	•	•	•	•	•
	<ul> <li>Conversion of Solidworks configurations with special characters #286</li> </ul>					•
	<ul> <li>Correct conversion of limited Solidworks configurations #325</li> </ul>					•
	<ul> <li>Markups: fix CustomID, reference and scale handling #252 #299 #300</li> </ul>	•	•	•	•	•
	<ul> <li>Crashes with corrupted wires in rare cases #272</li> </ul>	•	•	•	•	•
	■ BOM: copy to clipboard missing information #292		•	•		
	<ul><li>Fix anchor for Markups in views #308</li></ul>	•	•	•	•	•
	<ul> <li>Coordinate system picking highlight #40</li> </ul>	•	•	•	•	•
	<ul><li>Improve instantiation #123</li></ul>	•	•	•	•	•
	<ul> <li>Clash volume color always black #239</li> </ul>	•	•	•	•	•
	<ul> <li>Save mouse settings for 2D correctly #55</li> </ul>	•	•	•	•	•
	<ul> <li>Display VSXML Customlds correctly #313</li> </ul>	•	•	•		
	<ul> <li>Improve transformations including TechDoc markups #160</li> </ul>	•	•	•		
	<ul> <li>Setup will check if the OS is compatible before installing</li> </ul>	•	•	•	•	•

DViewStation 版本信息(发行说明

Version:	2022.2.167					
Release date:	2022-04-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> <li>Import 3D         <ul> <li>NX 2007</li> <li>Solid Edge 2022</li> <li>SolidWorks 2022</li> </ul> </li> <li>Import 2D         <ul> <li>CATIA V5-6R2022 (R32)</li> <li>NX 2007, 2008, 2011, 2015</li> </ul> </li> <li>Layer support for 2D documents #180</li> </ul>	•	•	•	•	•
Fixes:	<ul> <li>JT PMIs: improve visualization #168</li> <li>TIFF: fix loading error #250</li> <li>Undercut fix #271</li> <li>2D compare did not work in rare cases #246</li> <li>Markup import: use CustomIDs correctly #249</li> <li>KAS: fix rare crash during SolidWorks convert #174</li> <li>WV: custom-svg-icons.xml moved to www\custom</li> <li>WV: index.html, version starts with a '.':         <pre></pre></li></ul>	•		•	•	•

Version:	2022.1.136					
Release date:	2022-03-08	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New Microsoft Redistributables will be installed during the setup routine. They contain fixes for some OS.</li> </ul> </li> <li>Rework: Shadow rendering #116</li> <li>Copy text from 2D files to clipboard #112</li> <li>Import setting to load PMIs as 'always on top'</li> </ul>	•	•	•	•	•
Fixes:	<ul> <li>Increase possible datasize in 3DVS files #112</li> <li>PMI reference highlighting not displayed in rare cases #184</li> <li>KAS: special character handling added #186</li> <li>Improve logging</li> </ul>	•	•	•	•	•
Version: Release date:	2022.0.296 2022-02-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:</li> <li>Network licensing (Floating) requires license server</li> </ul>	•	•	•	•	•

version 5.0 or higher

✓ KISTERS

ViewStation 版本信息(发行说明

Version:	2022.0.296					
Release date:	2022-02-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul><li>Import 3D</li><li>Parasolid 34.0</li></ul>	•	•	•	•	•
	<ul> <li>Import 2D</li> <li>Solid Edge 2022</li> <li>Solidworks 2022 (SP0)</li> <li>NX 1992, 1996, 2000</li> </ul>	•	•	•	•	•
	<ul> <li>Customize scene lighting (color/brightness) #138</li> </ul>	•	•	•		
	<ul> <li>Increase node luminosity #138</li> </ul>	•	•	•		
	<ul> <li>CATIA: PMI references to solids #50</li> </ul>	•	•	•	•	
	<ul> <li>Setting to load prototype views #51</li> </ul>	•	•	•		
	Setup creates backup of presets.xml	•			•	
Fixes:	■ JT to 3DVS: PMI text correctly exported #49 #105	•	•	•		•
	• E57: loading error when UTF8 characters in filepath #109	•	•	•	•	•
	■ FBX: loading error in rare cases #119	•	•	•	•	•
	<ul><li>CATDrawing: won't open #6765</li></ul>	•	•	•		•
	<ul> <li>CATDrawing: wrong curves #6876</li> </ul>	•	•	•		•
	<ul> <li>DFT: wrong measurement #6912</li> </ul>	•	•	•		•
	■ DFT: won't open #7195	•	•	•		•
	<ul> <li>PDF: no background/wrong background color #124 #149</li> </ul>	•	•	•		•
	<ul> <li>DXF/SVG Export: lines missing #17 #53</li> </ul>	•	•	•		•
	<ul> <li>CGM Export fixed #18</li> </ul>	•	•	•		•
	<ul> <li>Open 3D scene for Office documents</li> </ul>	•	•	•		•

版太信息(发行说明)

Version:	2022.0.296					
Release date:	2022-02-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Improve volume calculation #47</li> </ul>	•	•	•		
	<ul> <li>Loading error when UTF8 characters are in filepath #81</li> </ul>		•	•		
	<ul><li>Transform: Free drag not working #44</li></ul>		•	•		
	<ul><li>PMI properties: change font #59</li></ul>		•	•		
	<ul> <li>Support info zipfile was not created #20</li> </ul>	•			•	
	<ul> <li>XML-API: ImportConfigurationViews fix #39</li> </ul>	•	•	•		
Version:	2021.1.835					
Release date:	2021-11-10	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	• IMPORTANT:	•	•	•	•	•
	<ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul>					
	<ul><li>Import 3D</li><li>ACIS 2021 1.0</li></ul>	•	•	•	•	•
	<ul> <li>Import 2D</li> <li>NX 1980, 1984, 1988</li> <li>2D DWG/DXF: option to load multiple layouts #7020 #2841 #5938 #6557 #6791</li> </ul>	•	•	•		•
	Calculate Inertia	•		•		•
	■ TIF: change contrast #7252	•	•	•		

/iewStation 版本信息(发行说明

Version:	2021.1.835					
Release date:	2021-11-10					erver
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
Fixes:	■ FBX Export: Root nodes missing #7122	•	•	•		•
	<ul> <li>SolidWorks configurations: incorrect display of parts #6953</li> </ul>	•	•	•		•
	<ul> <li>CATIA files could not be opened #7102</li> </ul>	•	•	•		•
	<ul> <li>PLMXML: some files could not be opened #7224</li> </ul>	•	•	•		•
	<ul><li>Crash of PDFs in rare cases #7187</li></ul>	•	•	•		•
	<ul><li>Speed up deletion of views #7089</li></ul>	•	•	•		
	<ul> <li>2D text search: Position of highlighting #6804</li> </ul>	•	•	•		
	<ul><li>Coloring faces #7029</li></ul>	•	•	•		
	<ul><li>Export convex hull #7046</li></ul>	•	•	•		•
	<ul> <li>Optimize update view navigation #7211</li> </ul>	•	•	•		
	<ul><li>Print of large 2D files #7242</li></ul>	•	•	•		•
	<ul> <li>Correct filepaths in VSXML export #7199</li> </ul>	•	•	•		•
	<ul><li>Picking performance #7230</li></ul>				•	
	<ul><li>Clean up node IDs of markups #7226</li></ul>	•	•	•	•	•
	• Fix circle selection for various measurement functions #7120	•	•	•	•	
	<ul> <li>TechDoc callouts: export fix #7173</li> </ul>	•	•	•		•
	<ul> <li>TreePath on root level now unique #7156</li> </ul>	•	•	•	•	•
	<ul> <li>Minimal bounding box: crash in rare cases #7129</li> </ul>	•	•	•	•	
	<ul> <li>Default language after installation #7193</li> </ul>	•			•	
	<ul> <li>XML-API: add SetSelectFaces #7165</li> </ul>	•	•	•		

反本信息(发行说明) 3DViewStatio

Version:	2021.1.835					
Release date:	<ul> <li>XML-API: add GetNodeTransformMatrix #7137</li> <li>XML-API: get/set camera using wrong position #7124</li> </ul>	• Desktop	• WebViewer	• VisShare	VR-Edition	Automation Server
	<ul> <li>XML-API: setting a CustomId (SetNodeProperties) resets constraints on child nodes fixed #7170</li> </ul>	•	•	•		
Version:	2021.1.424					
Release date:	2021-09-01	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	• IMPORTANT:	•	•	•	•	•
	<ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>Updated Microsoft Redistributables are needed (will be installed during the setup routine)</li> <li>Import 2D         <ul> <li>TIFF performance increased #7070</li> </ul> </li> <li>2D measurements: choose document scale #6787</li> <li>Search: PMI, markup, text added #7019</li> <li>Wall thickness heatmap: option to keep preferred values #6988</li> </ul>	•	•	•		•
Fixes:	• FBX export: prevent export of deleted geometries					
	<ul><li>#7086</li><li>VSXML export: physical properties will be written #6972</li></ul>	•	•	•	•	

DViewStation 版本信息(发行说明

Version:	2021.1.424					
Release date:	2021-09-01					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Improve visibilities after transformation or rotation #7050</li> </ul>	•	•	•	•	
	■ Length measurement: prevent crash #7085 #7105	•	•	•	•	
	<ul> <li>Markup text: improve multiline handling #7033</li> </ul>	•	•	•	•	
	<ul> <li>Change path for logging to AppData directory #7025</li> </ul>	•				
	<ul> <li>VR: improve logging #7009</li> </ul>				•	
	<ul> <li>VR: improve screenshots #7010</li> </ul>				•	

Version:	2021.1.11					
Release date:	2021-08-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>Updated Microsoft Redistributables are needed (will be installed during the setup routine)</li> </ul> </li> <li>Import 3D         <ul> <li>Inventor 2022</li> </ul> </li> <li>Optional prompt to save when closing a scene #6966</li> <li>References for dimensionings of surfaces and edges</li> <li>VR menu settings will be saved</li> </ul>	•	•	•	•	•

Version:	2021.1.11						
Release date:	2021-08-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server	
Fixes:	<ul> <li>Optimization of visualization of coordinate systems #6922</li> <li>Clash: set transparency of collision pair correctly #6934</li> <li>3DConnexion Controller: handling optimized #7043</li> <li>Solidworks: ASM could not be opened #6865</li> </ul>	•	•	•	•	•	
Version:	2021.0.132	Recommended Version					
Release date:	2021-07-20	Desktop	WebViewer	VisShare	VR-Edition	Automation Server	
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New 3DVS format V17. 3DVS files exported with this version are not compatible with pre-2021 versions of 3DViewStation</li> <li>Updated Microsoft Redistributables are needed (will be installed during the setup routine)</li> </ul> </li> <li>Import 3D         <ul> <li>Catia V5-6 R2021</li> <li>NX - Unigraphics 1980</li> <li>Parasolid 33.1</li> </ul> </li> </ul>	•	•	•	•	•	

tation 版本信息(发行说明

Version:	2021.0.132		Recommended Version					
Release date:	2021-07-20	Desktop	WebViewer	VisShare	VR-Edition	Automation Server		
Fixes:	<ul> <li>JT: Views were missing in rare cases #6859</li> <li>NX: 3D files show empty 2D document #6964</li> <li>CATDrawing issues fixed #6765 #6876</li> <li>Solid Edge drawing issues fixed #3154 #4707 #6912</li> </ul>	•	•	•	•	•		
Version: Release date:	2021.0.124 2021-07-02	Desktop	WebViewer	VisShare	VR-Edition	Automation Server		
New:	<ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New 3DVS format V17. 3DVS files exported with this version are not compatible with pre-2021 versions of 3DViewStation</li> </ul> </li> <li>New FBX Im-/Exporter         <ul> <li>Import: all versions</li> <li>Improved load time #6410</li> <li>Export: binary 7.5</li> <li>Export coordinate system #6081</li> <li>Export correct scaling #5683</li> </ul> </li> <li>Selection mode: Face</li> <li>Change the color of faces: Add vertex colors #6946</li> </ul>	•	•	•	•	•		

Version:	2021.0.124					
Release date:	2021-07-02					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Measurement: Cumulated area #4099</li> </ul>	•	•	•		
	<ul> <li>Measurement: Distance point to face #3379</li> </ul>	•	•	•		
	■ Transform: Boundary conditions: X, Y and Z axis added #5615	•	•	•		
	<ul> <li>VSXML: XSD for validation</li> </ul>	•	•	•	•	•
	<ul> <li>XML-API:         <ul> <li>New method for writing custom log messages to renderer instance log files and feature usage logging</li> <li>Reference to part Nodelds and CustomIds added in VSXML for measurement markups</li> <li>Camera Zoom/Pan limits</li> <li>OpenFile extended: Load from URL</li> </ul> </li> </ul>	•	•	•		
Fixes:	<ul> <li>VSXML import: improve performance #6473 #6976</li> </ul>	•	•	•	•	
	<ul> <li>Parasolid: improve format recognition #6897</li> </ul>	•	•	•	•	•
	<ul><li>Improve visibility while viewing: remove flickering #6891</li></ul>	•	•	•	•	
	<ul><li>Clash computation #6921</li></ul>		•	•		
	<ul> <li>Presets/properties: materials and density consolidated #6608</li> </ul>	•	•	•	•	•
	<ul> <li>Performance of measuring improved #6890</li> </ul>	•	•	•	•	
	<ul> <li>Face highlights during measurement improved #6417</li> </ul>	•	•	•	•	
	<ul><li>Circle recognition improved #4519</li></ul>	•	•	•	•	
	<ul> <li>Setup: added default installation path for silent installation #6913</li> </ul>	•	•	•	•	•
	<ul> <li>Setup: use user-defined path #6950</li> </ul>	•		•	•	•
	<ul> <li>Remember user-defined accelerator keys #6915</li> </ul>	•				

ViewStation 版本信息(发行说明

Version:	2021.0.124					
Release date:	2021-07-02					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	• Session sharing: server side rework, spectator client optimized		•	•		
	■ IPC fix for interprocess synchronization and communication problem on high server CPU load		•	•		
	<ul><li>XML-API: call execution improved #6626</li></ul>		•	•		

Version:	2021.0.95					
Release date:	2021-05-10	Desktop	WebViewer	VisShare	VR-Edition	Automation Server

New: • IMPORTANT:

- o Network licensing (Floating) requires license server version 5.0 or higher
- o New 3DVS format V17. 3DVS files exported with this version are not compatible with pre-2021 versions of 3DViewStation
- Import 3D
  - o JT 10.5 #6718
  - o NX Unigraphics 1953
  - o Parasolid 33
  - o Rhino3D 7
- Export 3D
  - o GL Transmission Format 2.0 #5566
- Import 2D
  - o CATIA V5-6R2021 (R31)
  - o NX: 1953, 1957 and 1961
- GUI: Bounding box measurement optimized
- 3D-Markups: Multiple references to curves and faces

Version:	2021.0.95					
Release date:	2021-05-10	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Offset lines are now removable (by GUI and API) #6705</li> <li>3D-Markups: Variables and attributes can be used and line breaks can be set comfortably (GUI and API)</li> <li>VR: Different controller models can be displayed</li> <li>Ad hoc session sharing with multiple users</li> </ul>	•	•	•	•	
Fixes:	<ul> <li>Markup export: Node ID &amp; Custom ID added</li> <li>Markup creation stability improved #6600</li> <li>SolidEdge: Position of some lines were not correct #6345</li> <li>PLMXML: Sequence number added to attributes #3799</li> <li>XML-API:         <ul> <li>Fly mode rework #6589 #6770</li> <li>Distance controllable camera alignment in fly mode</li> <li>Align horizon in fly mode</li> <li>Undo function includes node properties</li> </ul> </li> </ul>	•	•	•	•	•
	<ul> <li>2D-DWG: performance improved #6808</li> <li>2D-DWG: PDF export resulted in empty scene in Adobe Acrobat Reader #6695</li> <li>2D Compare improved #6552 #3436</li> <li>3D-PDF: Stability of PMI handling improved #6522</li> <li>Print dialog: Scale setting improved #6595</li> <li>CATIA: Missing PMI text in rare cases #6848</li> <li>CATIA: PMI alignment improved #6768</li> </ul>			•	•	

ViewStation 版本信息(发行说明

Version:	2021.0.95					
Release date:	2021-05-10					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>SolidWorks: Structure tree optimized #5918</li> </ul>	•	•	•	•	•
	<ul> <li>Stability of drag&amp;drop file import improved #6799</li> </ul>	•				

Version:	2021.0.6					
Release date:	2021-02-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server

New:

#### • IMPORTANT:

- o Network licensing (Floating) requires license server version 4.9.22 or higher
- New 3DVS format V17. 3DVS files exported with this version are not compatible with older versions of 3DViewStation
- Import 3D
  - o 3D Manufacturing Format (3MF) 1.2.3
  - MineCraft
  - o Revit 2021
  - o Solid Edge 2021
- Export 3D
  - o 3DVS V17
  - MineCraft
  - WaveFront OBJ
- Import 2D
  - o SVG
- 2D: Transformations available
- Align camera vertical to a face
- BOM: Configuration of shown attributes



Version:	2021.0.6					
Release date:	2021-02-26	Desktop	WebViewer	VisShare	/R-Edition	Automation Server
	BOM: Generating of callout ID by attributes	Des	Wek	Viss	VR-	Aut
	BOM: Physical properties		•			
		•	•	•		
	Convert dialog: Prefer geometry / prefer tessellation added	•				
	<ul> <li>Convex hull: Calculation speed improved</li> </ul>	•	•	•	•	
	<ul> <li>Coordinate systems settings added and ribbon menu reorganized</li> </ul>	•	•	•		
	<ul> <li>Create point at intersection of two lines</li> </ul>	•	•	•		
	Draft: Undercut analysis	•	•	•	•	•
	<ul> <li>Export of views overview to PDF</li> </ul>	•	•	•		
	<ul> <li>Import progressbar</li> </ul>	•	•	•		
	Markups: User defined attributes	•	•	•		
	Measurement: Distance solids to solids	•	•	•		
	<ul> <li>Minimal bounding box - Exact: Calculation speed improved</li> </ul>	•	•	•	•	
	Ribbon: Measurement reorganized	•	•	•		
	Section: Create orthogonal to a line	•	•	•		
	Section: Cut geometry with geometry colors possible	•	•	•		
	Selection mode: PMI reference	•	•	•	•	
	<ul> <li>Setup wizard supports update of WebViewer / VisShare</li> </ul>		•	•		
	<ul> <li>Snap mode for snapping mid- or endpoints of lines and edges</li> </ul>	•	•	•	•	
	Statusbar: Cursor coordinates	•				
	Statusbar: Format version	•				

ViewStation 版本信息(发行说明

Version:	2021.0.6					
Release date:	2021-02-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	<ul> <li>Support of textures: 3DVS, 3MF, DAE, FBX, GLTF, OBJ, U3D</li> <li>Turntable mode: Settings for detailed configuration</li> <li>Views: Context menu to activate only the camera or the state of views</li> <li>Views: Import setting to apply ZOOM: FIT ALL to all views</li> <li>VisShare: Mobile UI version for smartphones &amp; tablets</li> <li>VR: Camera rotatable via thumbstick or touchpad of the controller</li> <li>VR: Feedback message boxes</li> <li>VR: Help menu</li> </ul>	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		• VR	• Au
	<ul> <li>VR: New design of Teleport with head height</li> <li>XML-API: New method ExportViewsAsPDF</li> <li>XML-API: New method GetSearchableNodeTypes</li> </ul>	•	•	•	•	
Fixes:	<ul> <li>2D: Zooming improved #6227</li> <li>CATDrawing: RAM usage optimized #6030</li> <li>DOC/XLS/PPT couldn't be opened #6519</li> <li>FBX: Import of colors #6092</li> <li>Improvements of stability when importing models with many root nodes #6486</li> <li>JT: Import of prototype attributes #6495</li> <li>KAS: Generated screenshots of 3DVS files were</li> </ul>			•	•	

Version:	2021.0.6					
Release date:	2021-02-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	empty in rare cases #6349  Markups: Improvement of markup creation in					
	perspective mode with large models #6478		•	•		
	<ul> <li>Minimal bounding box: Improvement of markup alignment #6504</li> </ul>	•	•	•	•	
	<ul> <li>PMI-Highlighting improved #6670</li> </ul>	•	•	•	•	
	<ul> <li>Raster formats: Improvement of scaling and dimensioning with calibration factor #6479 #6338 #6303 #6434 #6551</li> </ul>	•	•	•		•
	<ul> <li>Software distribution: VR icon is no longer created #6511</li> </ul>	•			•	
	<ul> <li>SolidWorks: EPM vault storage supported #6481</li> </ul>	•	•	•	•	•
	<ul> <li>SVG: Export of section colors and cut geometries #5775</li> </ul>	•	•	•		•
	<ul> <li>Vertex colors were not correctly applied in views #6324</li> </ul>	•	•	•	•	
	<ul> <li>Wallthickness heatmap: Improved visualization #6415</li> </ul>	•	•	•	•	
	<ul> <li>WebViewer: Sessions in standby can be continued #6277</li> </ul>		•	•		

Version:	2020.1.410			ommer Version		
Release date:	2021-01-14	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	• IMPORTANT:	•	•	•	•	•

DViewStation 版本信息(发行说明

Version:	2020.1.410		Rec	ommei	nded	
			,	Versio	n	
Release date:	2021-01-14					_
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	Network licensing (Floating) requires license server version 4.9.22 or higher					
	<ul><li>Import 3D</li><li>SolidWorks 2021</li></ul>	•	•	•	•	•
	<ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2021x</li> <li>NX: 1938, 1942 and 1946</li> <li>Solid Edge 2021</li> <li>SolidWorks 2021</li> </ul>	•	•	•		•
Fixes:	<ul> <li>Unattended installation: Desktop icons were not created in some cases #6511</li> </ul>	•			•	
	<ul> <li>Minimal bounding box: Wrong orientation #6504</li> </ul>	•	•	•	•	•
	<ul> <li>SolidWorks: EPM vault storage files can't be opened #6481</li> </ul>	•	•	•	•	•
Version:	2020.1.395			ommei Versio		
Release date:	2020-11-20					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	• IMPORTANT:  Network licensing (Floating) requires license server version 4.9.20 or higher	•	•	•	•	•
Fixes:	<ul> <li>Network licensing (Floating): License borrowing for offline use #6405</li> </ul>	•				

Version:	2020.1.385			mmen ersior		
Release date:	2020-10-20					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
New:	• IMPORTANT: Network licensing (Floating) requires license server version 4.9.20 or higher	•	•	•	•	•
	Minimum system requirements changed	•				•
	<ul> <li>NEW SETUP WIZARD:</li> <li>Includes all KISTERS 3DViewStation products</li> <li>Revised comfortable user guidance</li> <li>Optimised sofware distribution for desktop products</li> </ul>	•	•	•	•	•
	HELPCENTER: Online knowledge base for end users and administrators. Offline fallback included.	•	•		•	•
	<ul> <li>Import 3D</li> <li>ACIS 2020</li> <li>CATIA V5-2020</li> <li>Creo 7.0</li> <li>JT 10.3</li> <li>Inventor 2021</li> <li>NX 1926</li> </ul>	•	•	•	•	•
	<ul> <li>Export 3D</li> <li>JT 8.1, 9.5 &amp; 10.0 selectable by dropdown menu</li> </ul>	•	•	•		•
	<ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2020x</li> <li>ProE / Creo Parametric 7.0</li> <li>NX: 1911, 1915, 1919, 1926, 1930, 1934</li> </ul>	•	•	•		•
	<ul> <li>VSXML: Performance improvements #5388</li> </ul>	•	•	•	•	•
	MicroStation .DGN format support discontinued	•	•	•	•	•
	DISTANCE AND BAND ANALYSIS TOOL	•	•	•		
	<ul> <li>MEASUREMENT OF THE TOTAL / CUMULATED LENGTH for tool path (laser, CNC, welding)</li> </ul>	•	•	•		
	MEASUREMENT - ANGLE: Line to line (projected)	•	•	•		

Version	2020 1 205		Des		ad a d	
Version:	2020.1.385			ommer Versio		
				V CI 3101		
Release date:	2020-10-20					
						erver
			ver		пс	Automation Server
		Desktop	WebViewel	VisShare	VR-Edition	omat
		Des	We	Vis	VR-	Aut
	<ul> <li>MEASUREMENT - SOLID TO SOLID: Performance improved</li> </ul>	•	•	•	•	
	<ul><li>EXPLODE:</li><li>On selections</li><li>Restriction to certain directions</li></ul>	•	•	•		
	<ul> <li>All created views can be automatically generated into single PNGs or as multi-page PDF including physical properties</li> <li>KAS method: export views</li> </ul>	•	•	•		•
	<ul> <li>Catia: Setting to import only captures (without views) #5700</li> </ul>	•	•	•	•	•
	<ul> <li>Setting to hide the rotation mouse pointer</li> </ul>	•	•	•		
	<ul><li>2D: Calibration added #5692</li></ul>		•	•		
	<ul><li>Save as 3DVS-format</li></ul>				•	
	<ul> <li>FONT SUBSTITUTION:         <ul> <li>Button in settings pane to open the FontSubstitution.csv</li> <li>The font substitution suggestion is inserted as a comment</li> </ul> </li> </ul>	•				
	<ul> <li>Default substitution font changed from Arial to MyriadCAD for better support of special characters and symbols</li> </ul>	•	•	•	•	•
	<ul> <li>API: IFC Get/SetBCFVisualizationInfo with unit (default: meter) #6033</li> </ul>	•	•	•	•	•
	<ul> <li>PMI: Possibility to edit all text fields</li> </ul>		•	•		
	<ul> <li>Color adjustment is possible directly by entering hexadecimal or RGB values</li> </ul>	•	•	•		
	<ul> <li>Optimized <b>OUTPUT</b> window:         <ul> <li>The output window is now managed per scene</li> <li>The new tab "General" contains feedback on network licensing</li> <li>New Setting: Enhanced loading statistics (progress tab)</li> </ul> </li> </ul>	•				
	<ul> <li>Setting to change the log level</li> </ul>	•			•	

Version:	2020.1.385			ommended Version	
Release date:	2020-10-20	Desktop	WebViewer	VisShare VR-Edition Automation Server	
	<ul> <li>JT: Import setting for (quality) level of tessellation</li> <li>2D: Enhanced zoom level</li> <li>PDF: Support of embedded JT files</li> </ul>	•	•	•	
Fixes:	<ul> <li>Physical Properties: Wrong volume calculation in native CAD models #6276</li> <li>PLMXML / VSXML: Import progress status information #5767</li> <li>SolidWorks SpeedPak: Assembly couldn't be imported #4950</li> <li>SolidWorks: Improved loading performance #6261</li> <li>SolidWorks: Assembly didn't load with 'Prefer BREP'</li> <li>Structure tree: Vertical scrollbar disappeared after Drag and Drop #5603</li> </ul>	•	•		

Version: 2020.1.328

Release date: 2020-09-11

Automation Server

New:

IMPORTANT:

Network licensing (Floating) requires license server version 4.9.20 or higher.

Version:	2020.1.328					
Release date:	2020-09-11	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	Minimum system requirements changed.	•				•
	<ul> <li>NEW SETUP WIZARD:</li> <li>Includes all KISTERS 3DViewStation products.</li> <li>Revised comfortable user guidance.</li> <li>Optimised sofware distribution for desktop products.</li> </ul>	•	•	•	•	•
	HELPCENTER: Online knowledge base for end users and administrators. Offline fallback included.	•	•		•	•
Fixes:	<ul> <li>VSXML: Stability improvements #6183</li> </ul>	•	•	•	•	•
	• <b>EXTRACT FACES</b> : Stability improvements #6218	•	•	•		•
	<ul> <li>View transition mismatch and initial view issues fixed</li> </ul>	•	•	•		
	<ul> <li>Missing images after importing views</li> </ul>	•	•	•	•	•
	<ul> <li>View transition ghost state issues fixed</li> </ul>	•	•	•		
	API: UpdateScene error handling optimized	•	•	•		
	API: Views play animated transition handling available	•	•	•		
Version:	2020.1.298					
Release date:	2020-08-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
			5	>	>	⋖

New: IMPORTANT:

• Network licensing (Floating) requires license server

Version:	2020.1.298					
Release date:	2020-08-26	Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	version 4.9.20 or higher.					
	Minimum system requirements changed.	•				•
	<ul> <li>NEW SETUP WIZARD:         <ul> <li>Includes all KISTERS 3DViewStation products.</li> <li>Revised comfortable user guidance.</li> <li>Optimized software distribution for desktop products.</li> </ul> </li> </ul>	•	•	•	•	•
	HELPCENTER: Online knowledge base for end users and administrators. Offline fallback included.	•	•		•	•
	<ul> <li>Import 3D</li> <li>ACIS 2020</li> <li>CATIA V5-2020</li> <li>Creo 7.0</li> <li>JT 10.3</li> <li>Inventor 2021</li> </ul>	•	•	•	•	•
	<ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2020x</li> <li>ProE / Creo Parametric 7.0</li> <li>NX: 1911, 1915, 1919</li> </ul>	•	•	•	•	•
	<ul> <li>VSXML: Performance improvements #5388.</li> </ul>	•	•	•	•	•
	MicroStation .DGN format support discontinued.	•	•	•	•	•
	BAND ANALYSIS	•	•	•		
	MEASUREMENT - ANGLE: Line to line (projected).	•	•	•		
	<ul> <li>MEASUREMENT - SOLID TO SOLID: Performance improved.</li> <li>EXPLODE:         <ul> <li>On selections</li> <li>Restriction to certain directions</li> </ul> </li> </ul>	•	•	•	•	
	• <b>VIEWS</b> can be conveniently exported as PNGs or, including the physical properties, as PDF.	•	•	•		•

DViewStation 版本信息(发行说明

Version: 2020.1.298 Release date: 2020-08-26 **Automation Server** NebViewer /R-Edition VisShare Catia: Setting to import only the captures (without views) #5700. Setting to hide the rotation mouse pointer. 2D: Calibration added #5692. Save as 3DVS-format. FONT SUBSTITUTION: o Button in settings pane to FontSubstitution.csv. o The font substitution suggestion is inserted as a comment. Default substitution font changed from Arial to MyriadCAD for better support of special characters and symbols. • API: IFC Get/SetBCFVisualizationInfo with unit (default: meter) #6033. • API: New focus method - variable transition to show the area of selected objects. • PMI: Possibility to edit all text fields. Color adjustment is possible directly by entering hexadecimal or RGB values. • Optimized **OUTPUT** window: o The output window is now managed per scene. o The new tab "General" contains feedback on network licensing. o New Setting: Enhanced loading statistics (progress Setting to change the log level. **EXTRACT SURFACES:** Failed in rare cases #5861, #5647. Fixes: GHOST TRANSPARENCY wasn't applied immediately #6050.

Version:	2020.1.298					
Release date:	2020-08-26					
		Desktop	WebViewer	VisShare	VR-Edition	Automation Server
	• <b>NEIGHBORHOOD SEARCH:</b> Stability improvements #6012.	•	•	•		•
	• WALLTHICKNESS HEATMAP: Wrong results with ray method in rare cases #5678.	•	•	•	•	•
	• <b>CIRCLE DETECTION:</b> Failed in rare cases #5815.	•	•	•	•	
	• 3DVS: Problem when loading very large models in the Webviewer.		•			
	• Creo: Section over more than one structure level #756.	•	•	•	•	•
	<ul> <li>2D Drawings: Markups were displayed on all pages #4880.</li> </ul>	•	•	•		•
	• 2D DXF: Missing lines in rare situations #5528 #5645 #5909.	•	•	•		•
	<ul><li>2D DXF: Wrong scaling in rare cases #5537.</li></ul>	•	•	•		•
	• FBX export: Surfaces sometimes had wrong colors #4537.	•	•	•	•	•
	• IFC: Lines caused an empty scene in rare cases #5901.	•	•	•	•	•
	■ JT: Convert from 3DVS not possible in rare cases #5176.	•	•	•		•
	<ul> <li>NX: Missing attributes in 'No category' #3728.</li> </ul>	•	•	•		•
	• STEP: Attributes with \$ characters weren't shown correctly #5627.	•	•	•		•
	■ STEP: PMIs were transparent #5006.	•	•	•	•	•
	<ul> <li>SVG export: Node color was ignored when a vertex color was set #5777.</li> </ul>	•	•	•		•
	<ul> <li>VDA: Stability improvements #5488.</li> </ul>	•	•	•	•	•
	<ul> <li>API: BCF default visibility fixed #6086.</li> </ul>	•	•	•	•	•
	<ul> <li>API: UpdateScene / SetSelectedNodes by CustomId #5963.</li> </ul>	•	•	•	•	•
	<ul> <li>API: Ghost / Constraints GhostLocked - Initial view, wrong state of ghosted nodes #5963.</li> </ul>	•	•	•	•	

Version:	2020.0.40	Recommended Version
Release date:	2020-05-12	
Fixes:	<ul> <li>DESIGNS: Missing menu elements #5608</li> <li>PROJECTED AREA: Unit correction if scene unit is no</li> <li>POINT COORDINATE MEASUREMENT: Consideratio system #5749</li> <li>Stability improvements #5804 #5794 #5829</li> </ul>	

 Version:
 2020.0.29
 Recommended Version

 Release date:
 2020-04-15

Fixes:

• **NEIGHBORHOOD SEARCH**: Crash when changing input without selection #5741

Opening files with double click #5742

Version:2020.0.22Recommended Version

**Release date:** 2020-04-09

New:

- Import 3D
  - o NX 1899
  - o Revit 2020
  - o Parasolid v32.0
- Import 2D
  - o CATIA: V5-6R2020 (R30)
  - o NX: NX 1899, NX 1903, NX 1904, NX 1907
- Update 3DVS format to version 16 (incompatible to 3DViewStation 2019.1 and older)
- SAVE AS contains all 3D & 2D export formats. Additional screenshot export option in menu TOOLS
- Font recognition and replacement for 2D drawings (2D advanced licensed)
- Renaming of **FILTER** to **SEARCH** in menu **TOOLS** 
  - Added case sensitivity option #3996
  - o Search for content in PMIs, markups and text
- Clash detection:
  - o Intersection volume
  - o Intersection curves
  - o Penetration depth
  - Performance improvement
- NEIGHBORHOOD SEARCH:
  - Linear distance
  - o Box trap
- Status bar with additional information

Version:	2020.0.22 Recommended Version
	<ul> <li>MERGE OBJECTS in menu MODEL</li> <li>New UI designs (accessible via settings)</li> <li>New UI layouts (accessible via settings)</li> <li>Update of Microsoft Redistributables</li> <li>DropConvert support discontinued</li> <li>HiCAD importer support discontinued</li> <li>Windows 32-bit support discontinued</li> </ul>
Enhancements:	
	<ul> <li>2D: Create document background setting #2996</li> <li>Color palette can be customized via Presets.xml #5598</li> <li>API: Import/Export of BCF Collaboration View #4877</li> <li>API: Define initial view from current state #5458</li> <li>API: SearchNodes with CustomID #5629</li> </ul>
Fixes:	
	<ul> <li>Gerber: Models were opened as text files #5665</li> <li>PLMXML: Empty files when exporting to 3D format #5698</li> <li>STEP AP242: Tessellation export issue #4775</li> <li>API: Callout projection event issues #5651</li> <li>Copy and paste problems of nodes #5543 #5575</li> <li>Improved alignment for newly created coordinate systems (normal and circle center) #5455</li> <li>Incorrect positioning of instanced parts #5569 #5656</li> <li>Lines and markups disappeared when importing another model in a scene #4941</li> <li>Lines are not displayed correctly #5486</li> <li>Opening of files with double click #5606</li> <li>Irregular problems when opening models with many instances #5638</li> <li>IP PROTECTION - DELETE INVISIBLE: Issue when computed on faces #5581</li> <li>Wrong camera position when a view with active flight mode is activated #5414</li> </ul>
Version:	2019.1.132

Version:	2019.1.132
Release date:	2020-02-17
Enhancements:	
	<ul> <li>Start up speed of 3DViewStation increased</li> </ul>
Fixes:	
	<ul> <li>Hotfix for 2019.1.126: Windows 7 support</li> <li>Bounding Box Extents #4010</li> <li>Added setting for volume unit #5385</li> </ul>

**Version:** 2019.1.126

**Release date:** 2020-02-11

New:

BDViewStation 版本信息(发行说明

## **Version:** 2019.1.126

- Update 3DVS format to version 15 (incompatible to 2019.0 and older)
- New Redistributables 2019 added to the setup. Installation is required.
- NX 1872
- NX Drawings 1892
- Solid Edge 2020
- Solid Edge Drawings 2020
- SolidWorks Drawings 2020
- Font recognition and multiple font substitution for drawings #4752
- Colors for e57 point clouds
- API: 2D callout projection

## **Enhancements:**

- Added hierarchically merge mode in ribbon Model
- Import setting ignore views by name now considers wildcard (\*)
- Added support for more CATIA attributes types #5312
- Added version number to title bar
- Improve e57 point cloud import #5275
- Support of additional fonts in drawings #2804 #5024
- STEP AP242: Export of markups #5014
- Filter renamed to Search (ribbon Tools)
- Added Search option: Case sensitive #3996
- Added Search option to find content of markups/PMIs
- New options for wire coloring of solids #3371

## Fixes:

- Improved display of Solid Edge drawings #2408
- Convert specific CATPart to Parasolid #2669 #4746
- Wrong PDF extents #4403
- 3DXML with many structure levels causes slow import #4435
- STEP AP242 export with tessellation only #4775
- Changing boundary conditions while a transformation tool is active #5078
- 3D-PDF: Export markups #5154
- SVG exports only visible #5177
- API: File open crash #5268
- User folder in hidden network share is supported #5270
- Render materials #5314
- Incorrect placement of dimensions with activated coordinate system #5319
- VSXML: Correct display of markups and callouts #5340
- Save correct scaling of merged objects #5374
- Camera alignment in Flythrough mode #5414
- 3DVS: Load model as saved #5422
- KAS: Conversion fails #5475

**Version:** 2019.1.53

**Release date:** 2019-12-19

# **Enhancements:**

- Added new search options to the neighborhood search:
  - о Вох
  - Linear distance

反本信息(发行说明) 3DViewStatio

**Version:** 2019.1.53

Fixes:

Export only visible geometries for vector graphics #5177

Problems with opening CATIA data fixed #5206

Instancing of geometries caused issues #5133

Version: 2019.0.721 Recommended Version

**Release date:** 2020-02-17

Fixes:

Hotfix for 2019.0.720: Windows 7 support

Version:2019.0.720Recommended Version

**Release date:** 2020-02-11

New:

New Redistributables 2019 added to the setup. Installation is required.

NX 1872

NX Drawings 1892

Solid Edge 2020

Solid Edge Drawings 2020

SolidWorks Drawings 2020

Fixes:

Improved display of Solid Edge Drawings #2408

Convert specific CATPart to Parasolid #2669 #4746

3DXML: Many structure levels causes slow import #4435

STEP AP242 export with tessellation only #4775

SVG exports only visible #5177

API: File open crash #5268

User folder in hidden network share is supported #5270

Incorrect placement of dimensions with activated coordinate system #5319

**Version:** 2019.0.715 Recommended Version

**Release date:** 2019-11-25

Fixes:

Instancing of geometries caused issues #5133, #5121

CATDrawing: Line breaks are ignored #4925

DViewStation 版本信息(发行说明

Version:	2019.0.677	Recommended Version
Release date:	2019-10-16	
New:		
	<ul> <li>UI change: Add 2D and 3D export buttons (screenshoth)</li> <li>Setting for default 3D export format (instead of last CATDrawing: R29 (V5-6R2019)</li> <li>Creo Drawing: 6.0</li> <li>NX Drawing: NX 1872 Series until 1884</li> <li>SolidEdge Drawings 2019</li> <li>Solidworks Drawings 2019</li> </ul>	
Enhancements:		
	Automatic backup of settings before manual reset to	o defaults

Fixes:

- 3D PDF: Problem with template "Toplevel" #3168
- CATDrawing: Missing text #3837
- CATDrawing: Line width correctly rendered #2460
- CATDrawing: Loading problem #3764
- CATDrawing: Missing line breaks #4925
- IFC: Import with instancing #5043
- SolidWorks & SolidEdge Drawings: Loading problem #4077
- STEP: Wrong transformation #4774
- Section: Rendering problems #4947 #4168
- JT: PMI visibility in views #5013

Version:	2019.0.609	Recommended Version
Release date:	2019-08-27	
New:		
	<ul><li>Export progressbar</li><li>CATIA V5-6 R2019 (R29)</li></ul>	
Enhancements:		
	<ul> <li>Ribbon layout change without restart of application</li> <li>Wallthickness heatmap: Default preset set to ROLLIN</li> <li>2D: Consideration of line width</li> <li>FBX: Export of colors &amp; transparencies improved</li> <li>Minimal bounding box: quick &amp; precise calculation</li> <li>Performance of VSXML with referenced 3DVS files in</li> </ul>	
Fixes:		

■ BOM: Export to CSV when using Japanese & Korean language #4770

Administrate server button #4613 BOM: handling of attributes #4677

2D: Symbols in fonts #4494

Transformation of coordinate systems #4704

Version:	2019.0.609	Recommended Version
	<ul> <li>2D: File handle not closed #3239</li> <li>2D: SolidWorks &amp; SolidEdge Drawings #4077</li> <li>3DVS: PMIs missing #4783</li> <li>CATDrawing: Viewing problem #3764</li> <li>Standby mode of graphic card #4756</li> </ul>	

Version:	2019.0.529
Release date:	2019-07-12
New:	
	<ul> <li>New option for axis aligned camera control</li> <li>CREO 6</li> <li>Inventor 2020</li> <li>NX (v1847)</li> <li>Parasolid v31.1</li> </ul>
Enhancements:	
	<ul> <li>TechDoc: Ribbon menu improved</li> <li>TechDoc: Automatic association of renamed callout IDs</li> </ul>

Fixes:

CREO: Import not possible #4622

Inventor: Support of representations

DWG: Import not possible #3640

• GTL: Imported as text file #4576

■ Inventor: False transformation #2270 + #3105

JT 10.3: Import not possible #4602

JT: Missing PMI text #4124

JT: With materials leads to false transparency #4344

Changing the interface design via the settings menu

NX: Incorrect display of surfaces #3217

NX: Missing faces in exact compare #3860

STEP: Bad representation of letters #3879

BOM based on selection #4358

CATDrawing: Loading from folders with umlauts #4293

Text search with Japanese characters #4324

• Licensing: lock-file problem with network licenses #2965

Minimal bounding box with activated coordinate system #4260

Version:	2019.0.420
Release date:	2019-04-25
New:	
	TechDoc: Text markup with fixed position in viewport
Fixes:	

**Version:** 2019.0.420

NX files could not be opened #3441 #4189 #3516

- GLTF: Transparency wrong #3700
- STEP could not be opened #3885
- SolidEdge: Wrong attributes #1993
- GLB: Could not be opened #3886
- KAS license error #2826
- No surface area could be calculated from projected areas #3613
- Incorrect selection of points #3931
- Font substitution does not work #4256
- SWX: Import very slow with prefer tessellation #4257
- 3DVS from 2019.0 crashes 2018.0 #4262
- CREO: Tessellation error open shells #4277
- Attributes are not read in correctly #1993
- White background in drawing ensures that font is not visible #2811

 Version:
 2019.0.383

 Release date:
 2019-04-09

**Enhancements:** 

PLMXML-Setting:

interpret all transformations as global transformations

Fixes:

Pickray causes crash #3844

- SolidWorks: Transformations wrong #4166
- Custom presets.xml suppresses the import dialog #4237
- STPX: Transformations wrong #3791

**Version:** 2019.0.340

**Release date:** 2019-03-21

New:

Kisters Automation Server (KAS) can convert to 2D vector files #3699

ActiveX:

o Added: HasCustomRibbonButton

o Added: RemoveCustomRibbonButton

**Enhancements:** 

Added settings to influence CATIA Show/NoShow behavior #3499

Replace Java license monitor tool for floating licenses with a .NET application

Fixes:

Issue with SingleInstance and file import into open scene #4205

Density presets are not displayed #4025

KAS: Convert drawing to 3DVS/PDF was not possible #3471

Updater reports "No updates" if connection to update server not possible #3538

版木信息(发行说明)

3DViewStation

**Version:** 2019.0.340

SolidWorks: Assembly could not be loaded #3950

**Version:** 2019.0.232

**Release date:** 2019-01-31

New:

- Transform: Move from circle center to circle center
- Importable format: e57
- Selection mode: Instance
- STEP: Import-Setting to select NAUO #2487
- Change colors of coordinate system #3933
- Turntable camera control
- Technical documentation (TECHDOC license option required)
- Split solids (ADVANCED\_ANALYSIS license option required)
- Remove/Generate normals
- Change PMIs on import with width-/height factor
- Tutorial update

#### **Enhancements:**

- Filter: Setting to include/exclude hidden objects
- Filter: Search of hexadecimal and RGB colors #3777
- Export PNG with transparent background
- Configurable date for PDF templates #3619
- License borrowing dialogue: Features can be borrowed individually
- Improved 2D text search
- Improved representation of floating point values in attributes #3849
- Improved representation of PMIs #3940

## Fixes:

- Improved printing on very large paper sizes #3715
- Solved problem with line breaks in about dialog #3712
- VSXML Import: Colors are inherited correctly #3744
- Solved issue with PLMXML import #3353
- Error messages from updater improved #3583
- Exact compare: colors swapped #3748
- Exact comparison of selections #3934
- 3DVS: Improved accuracy of transformations #3966
- Removing temporary files #3694
- False visibility after use of UNDO #3701
- Change colors of edges #3371
- ActiveX: Fix issue with OnMouseEnter event #3836

Version: 2018.0.365 Recommended Version

**Release date:** 2019-05-20

- Font replacement #4256
- NX files could not be opened #3441 #4189
- SolidEdge: Wrong attributes #1993

Version:2018.0.365Recommended Version

STEP could not be opened #3885

Version:2018.0.360Recommended Version

**Release date:** 2019-02-08

New:

Importer update:

- JT Import 10.2
- Parasolid V31
- Solid Edge 2019
- SolidWorks 2019
- 3D-PDF-Export: Templates with customizable date format #3619

Fixes:

- SVG/DXF export of cut geometry fixed #3987
- NX drawing issues #2702, #3222
- CATDrawing tables presentation #3469
- Colors corrected in exact comparison #3748
- Increased accuracy of transformations #3966
- Improved undo #3701
- Reload nodes #3765
- Export hull geometry / wire recognition #3972

Version:	2018.0.350	Recommen	ded Version

**Release date:** 2018-12-06

New:

- New method for ActiveX-Contol: SetKeepAlive
- Can be used to prevent closing of the 3DViewStation instance e.g. when Terminate() is called.

**Enhancements:** 

- Improved Japanese UI translations
- Update of German and English tutorial

Fixes:

- Crash when printing on very large paper sizes #3715
- Issues with the display of Inventor assemblies solved #3262

Version:2018.0.342Recommended Version

**Release date:** 2018-11-13

Version:	2018.0.342	Recommended Version
New:		
	<ul> <li>Type floating license only: Update of LicServer server administration/usage statistics</li> <li>-&gt; current version of floating server software recor</li> </ul>	Ç
Enhancements:		
	<ul><li>Improved Japanese UI translations</li><li>Update of German tutorial</li></ul>	
Fixes:		
	<ul> <li>Automatic recognition of markup fonts</li> <li>Uninstaller removes all installation files</li> <li>Type activation license only: Installation of needed</li> </ul>	Microsoft redistributables

Version:	2018.0.333	Recommended Version
Release date:	2018-10-11	
New:		
	<ul> <li>Import dialog / Import presets</li> <li>Recognition of drill holes</li> <li>Optimize instances - results in file size reduction</li> <li>Save views separate from geometries</li> <li>Load views independent from i.e. revised geometries</li> <li>Remove edges of geometries, i.e. due to bad quality</li> <li>Re-calculate edges of geometries, i.e. to allow measu</li> <li>Calculation of neutral axis of piping objects</li> <li>Scale geometry</li> <li>Measure face without need to extract face first</li> <li>Real time wall thickness measurement</li> <li>Skybox creator</li> <li>Wall thickness analysis color gradated, i.e. multi sele</li> <li>Mirroring of geometries with more options</li> </ul>	rements
Enhancements:		
	<ul><li>Improved UI translations</li><li>Direct page access for multi-page 2D documents</li></ul>	
Fixes:		
	<ul> <li>Visualization of background images #3595</li> </ul>	

Version:	2018.0.319
Release date:	2018-09-18

New:

**Version:** 2018.0.319

• Context menu for each scene tab

**Enhancements:** 

Print dialog is resizable #3363

Fullscreen can be exited via Escape (and F11)

Fixes:

Solved problem when importing STEP data #3260

Import dialog: focus issue #3457

Solved problems with PDF Templates #3424 #3464

- ActiveX: AddContextMenuItem treats passed IDs wrong #3455
- Solved problem with display of diameter symbol #3472
- Solved problem with an old 3DVS file #3534

Problem with Parasolid NodeNameTemplates solved #3536

**Version:** 2018.0.310

**Release date:** 2018-08-17

New:

 Import dialog: choose between different setting presets, thus leading to different load time and quality

Inventor 2019 file format support

**Enhancements:** 

Neutral axis can now also be applied to tessellation and BREP data

Drill hole improvements

2D root nodes now contain the name of the opened 2D file #3385

Wallthickness Heatmap unit is available #1950

New export setting to replace original file extension #3300

Fixes:

3DPDF: opening the 3D scene on Windows 7 systems #3144

3DPDF: containing U3D #3435

OpenFile via renderer extension #3338

PLMXML: Colors are displayed incorrectly #3319

Bounding box world markup positioning issue #3296

VSXML pathes with umlauts #3332

DWG file is displayed as a white sheet #3410

Splashscreen fix #3330

Compare of multipage documents #3415

**Version:** 2018.0.212

**Release date:** 2018-07-18

Version:	2018.0.212
New:	
	<ul> <li>Remove empty nodes</li> <li>Print dialog: Print range</li> <li>Autorotate document</li> <li>Tiled printing</li> <li>Convert dialog: IFC and FBX added</li> <li>Measurement of circle area</li> <li>CMD implementation for the quick and exact compare</li> </ul>
Enhancements:	
	<ul> <li>Setup: Teamviewer is now an optional parameter during silent installation (see corresponding documentation)</li> <li>Support for tessellated PMI STEP AP242</li> <li>Selection frame now also works for:         <ul> <li>Wires</li> <li>Curves</li> <li>Points</li> <li>Annotations</li> </ul> </li> <li>Improve ActiveX control</li> </ul>

Version:	2018.0.95
Release date:	2018-06-07
New:	
	<ul> <li>JavaScript support for 3D-PDF export (see corresponding documentation)</li> </ul>
Export 3D:	
	• IFC
Fixes:	
	ActiveX connection problem

Version:	2018.0.77
Release date:	2018-05-30
Enhancements:	<ul> <li>Menu icon for Readme and File Format List in the help category</li> <li>Menu icon for SkyBoxCreator in the tools area with which skyboxes can be generated</li> </ul>
Fixes:	

版本信息(发行说明)

Version:	2018.0.77

CatiaV5 Import Problems #2718

Version:	2018.0.57

**Release date:** 2018-05-17

New:

Import 2D Advanced

- Catia V6 / 3DExperience R2017Support for NX Expression
- Measuring function: Dimension surfaces
- Optional monochrome import for 2D advanced formats
- Mirror geometry over world coordinate system and active coordinate system
- Import and export views via XML file

**Enhancements:** 

- Improved computation speed of world bounding box
- Enhanced line generation

Fixes:

- RGB colors could not be changed #2884
- PDF export generates darker preview images than previous versions #3078